

### Blacklight BL368 Linear T8 F36W T8 BL368 24 0000092



#### **Product features**

The energy distribution of the BL368 lamp is concentrated around the spectral peak at 368nm which is the most important frequency for the attraction of flying insects.















### PRODUCT OVERVIEW

Product name	F36W T8 BL368 24
Technology	Special applications
Lamp shape	Tubular shape
Type	Т8
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
ETIM Class	EC002962
E-number FI	4940425
Light colour	BL368 Blacklight
Wattage (W)	36.00
Product Voltage (V)	103
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	9000
Product EAN number	5410288000923

#### **DATA TABLE**

General data	
Product name	F36W T8 BL368 24
Technology	Special applications
Lamp shape	Tubular shape
Туре	T8
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
Operating temperature range (°C)	-15°C+40°C
ETIM Class	EC002962
E-number FI	4940425



## Blacklight BL368 Linear T8 F36W T8 BL368 24 0000092


Ambient temperature for maximum	25
luminous flux (°C) Light colour	DI 269 Placklight
<u> </u>	BL368 Blacklight N
Adjustable chromaticity	N
Electrical data	
Wattage (W)	36.00
Watt (Rated) - High frequency (W)	32.00
Current (A)	0.430
Mains voltage (V)	230-240V
Product Voltage (V)	103
Control gear required	Yes
Transformer required	No
Dimmable	No
Dimming method	N/A
Drive current (mA)	430
Lifetime data	
Average life (Nominal) (h)	9000
Physical data	
Nominal Product Length (mm)	600.0
Nominal Product Diameter (mm)	26
Max. Length base to base (mm) - A	589.8
Length base to pin Min-Max (mm) - B	594.5-596.9
Max. Lamp Length (mm) - C/L	604.0
Max. Lamp Diameter (mm) - D	28.0
Weight (kg)	0.083
Packaging	
Single packaging type	Carton
Product EAN number	5410288000923
Packaging single length / height (cm)	61.0
Packaging single width (cm)	2.9
Packaging single depth (cm)	2.8
DUN14 (outer)	15410288000920
Units per outer package	25
Packaging outer length / height (cm)	63.0
Packaging outer width (cm)	15.5
Packaging outer depth (cm)	15.0
Safety data	
Lamp mercury content (mg)	2.80
Optimal operating condition (°C)	-15-40
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of	Applicable



# Blacklight BL368 Linear T8 F36W T8 BL368 24 0000092

Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction
Suitable for household illumination	No
Safety message	Not suitable for household

### **PHOTOMETRY**



### **TECHNICAL DRAWINGS**

