

Blacklight BL368 Linear T5

F4W T5 BL368
0000085



PRODUCT OVERVIEW

Product name	F4W T5 BL368
Technology	Fluorescent
Lamp shape	Tubular shape
Type	BL368
Cap/Base	G5
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
ETIM Class	EC002962
E-number FI	4940420
Light colour	BL368 Blacklight
Wattage (W)	4.00
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	3000
Product EAN number	5410288000855

DATA TABLE

General data

Product name	F4W T5 BL368
Technology	Fluorescent
Lamp shape	Tubular shape
Type	BL368
Cap/Base	G5
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Operating temperature range (°C)	-15°C...+50°C
ETIM Class	EC002962
E-number FI	4940420

Optical data

Light colour	BL368 Blacklight
--------------	------------------

Blacklight BL368 Linear T5 F4W T5 BL368 0000085

Adjustable chromaticity N

Electrical data

Wattage (W)	4.00
Mains voltage (V)	230-240V
Control gear required	Yes
Transformer required	No
Dimmable	No
Dimming method	N/A

Lifetime data

Average life (Nominal) (h)	3000
----------------------------	------

Physical data

Nominal Product Length (mm)	150.0
Nominal Product Diameter (mm)	16
Max. Length base to base (mm) - A	135.9
Length base to pin Min-Max (mm) - B	140.6-143.0
Max. Lamp Length (mm) - C/L	150.1
Max. Lamp Diameter (mm) - D	17.0
Weight (kg)	0.01

Packaging

Single packaging type	Carton
Product EAN number	5410288000855
Packaging single length / height (cm)	13.45
Packaging single width (cm)	1.55
Packaging single depth (cm)	1.55
DUN14 (outer)	15410288000852
Units per outer package	50
Packaging outer length / height (cm)	19.5
Packaging outer width (cm)	16.5
Packaging outer depth (cm)	12.0

Safety data

Lamp mercury content (mg)	2.30
Optimal operating condition (°C)	-15-50
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Suitable for household illumination	No

TECHNICAL DRAWINGS

Blacklight BL368 Linear T5 F4W T5 BL368 0000085

